



QTD6050



塔身截面 Mast 2.5m x 2.5m

固定式 Stationary




F2	●217t	■321t
F3	●134t	■242t
	115t	

H 臂根铰点下高度Height under jib hinge shaft 臂架Jib *60-55m **50-45m ***40-35m

- 工作状态 In service F=固定反力或轮压 Reactions
- 非工作状态 Out of service  自重 Total weight without load and counter weight

附着 Anchorage



H1—臂根铰点下高度 Height under jib hinge shaft

H2—塔机附着位置距地面的高度 Height of anchorage frame to the ground

i > 189.75m 请向我司咨询 Consult us

载荷特性表
 Load Diagrams

起重臂 Jib (m)	倍率 Fall	起重幅度 Range (m)	5.5–33.68	35	40	45	50	55	60	
60	Ⅱ	起重重量 Load (t)	12.5	11.91	9.84	8.23	6.94	5.86	5	
起重臂 Jib (m)	倍率 Fall	起重幅度 Range (m)	5.1–25.44	30	35	40	45	50	55	
55	Ⅱ	起重重量 Load (t)	18.75	15.25	12.47	10.35	8.69	7.35	6.3	
	Ⅰ		12.5			10.55	8.89	7.55	6.5	
起重臂 Jib (m)	倍率 Fall	起重幅度 Range (m)	4.6–20.59	25	30	35	40	45	50	
50	Ⅲ	起重重量 Load (t)	25	19.93	15.9	13.02	10.83	9.11	7.8	
	Ⅱ		18.75		16.2	13.32	11.13	9.41	8.1	
	Ⅰ		12.5				11.33	9.61	8.3	
起重臂 Jib (m)	倍率 Fall	起重幅度 Range (m)	4.2–21.22	25	30	35	40	45		
45	Ⅲ	起重重量 Load (t)	25	20.7	16.58	13.63	11.37	9.7		
	Ⅱ		18.75		16.88	11.93	11.67	10		
	Ⅰ		12.5				11.87	10.2		
起重臂 Jib (m)	倍率 Fall	起重幅度 Range (m)	3.7–21.82	25	30	35	40			
40	Ⅲ	起重重量 Load (t)	25	21.34	17.19	14.16	12			
	Ⅱ		18.75		17.49	14.46	12.3			
	Ⅰ		12.5							
起重臂 Jib (m)	倍率 Fall	起重幅度 Range (m)	3.3–21.35	25	30	35				
35	Ⅲ	起重重量 Load (t)	25	20.89	16.81	14.8				
	Ⅱ		18.75		17.11	15.1				
	Ⅰ		12.5							

配重配置表
 Counter Weight

		5000kg	2500kg	 kg
60	8.5m	8	2	45000
55	8.5m	8	2	45000
50	8.5m	8	2	45000
45	8.5m	8	1	42500
40	8.5m	8	0	40000
35	8.5m	7	1	37500

机构特性 Mechanisms

机构名称 Name	机构型号 Model								功率 Power
起升 Hoisting 	120LVF65	m/min	t	m/min	t	m/min	t	800m 变频控制 Inverter Control	90Kw
		0-35	12.5	0-23	18.75	0-17.5	25		
		0-70	6.25	0-46	9.38	0-35	12.5		
拉臂 Luffing 	102DVF65	min		≤3.5				变频控制 Inverter Control	75Kw
回转 Slewing 	RCV185	r/min		0-0.7					2×185Nm
	RVF185	r/min		0-0.7				变频控制 Inverter Control	2×9Kw
电网/Power Supply					380V/50Hz 440V/60Hz (±5%)				
供电容量/Necessary Power					230KVA				

※ 本技术参数不受法律约束，技术信息请详见相应技术说明书。
Specifications and data is not legally binding.
For any technical information, please refer to the corresponding instructions.